

# **“CLEAN CUT”**

## **ECO-FRIENDLY STAINLESS STEEL CLEANER**

“Clean Cut” is blended with all natural Earth products and biodegradable elements to provide you with the most effective and the most earth friendly cleaner possible. The elements in this formula are designed to blend into water and physically attack and remove the stains and residues, allowing them to be rinsed and flushed away. “Clean Cut” is biodegradable, odorless, non-flammable and contains no toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-know Act of 1986 and of 40 CFR 372.

“Clean Cut” was specifically formulated to remove fruit pectin residue from stainless steel juicing components. Test results confirmed that “Clean Cut” works very well in cleaning all stainless steel parts (i.e. coffee equipment, kitchen parts and tools, auto parts, etc...). Food processing parts should be sanitized prior to use and “Clean Cut” does not contain a sanitizer.

**Instructions:** Carry out this procedure as often as necessary to ensure your stainless steel parts remain clean.

1. Mix 1/2 cup cleaner with 1 gallon of hot water in a container large enough for the stainless steel parts. Container must NOT be made of aluminum or cast iron.
2. Place parts in the solution.
3. Add enough hot water to submerge the parts.
4. Soak parts overnight or minimum of 2 hours.
5. After soaking, clean parts with a cleaning pad to remove stains.
6. Rinse thoroughly.

**CAUTION:** Avoid contact with eyes and prolonged contact with skin. Do not take internally. Store in a dry place.

**FIRST AID:** EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES AND CONTACT A PHYSICIAN IMMEDIATELY. INTERNAL: DRINK LARGE AMOUNTS OF WATER AND CALL A PHYSICIAN IMMEDIATELY.

**MSDS:** Included with shipment.

“CLEAN CUT” is sold in 6 lb. and 15 lb. containers and **is available exclusively at Nutrifaster, Inc.**

Nutrifaster, Inc.  
209 S. Bennett Street  
Seattle, WA 98108  
Phone: 1-800-800-2641  
Phone: 1-206-767-5759  
Fax: 1-206-762-2209  
[www.nutrifaster.com](http://www.nutrifaster.com)  
[sales@nutrifaster.com](mailto:sales@nutrifaster.com)

NUTRIFASTER, INC.® LEADERS IN MANUFACTURING  
COMMERCIAL JUICE EXTRACTORS FOR OVER 30 YEARS.

**MATERIAL SAFETY DATA SHEET**  
OSHA FORM 174

**PRODUCT NAME:** CLEAN CUT  
**PRODUCT CODE:** 12202  
**HMIS CODES:** H - 1 F - 0 R - 0 P - B  
(HEALTH - FIRE - REACTIVITY - PERSONAL PROTECTION)  
**HMIS RATING:** 0=MINIMAL, 1=SLIGHT, 2=MODERATE, 3=SERIOUS, 4=SEVERE

**SECTION I - MANUFACTURER IDENTIFICATION**

**MANUFACTURER'S NAME:** NUTRIFASTER INC.  
**ADDRESS:** 209 SOUTH BENNETT ST. SEATTLE, WA. 98108  
**EMERGENCY PHONE:** 206/767-5054 FAX 206/762-2209  
**DATE PREPARED:** 10-20-08 **NAME OF PREPARER:** NUTRIFASTER INC.  
**REVISION:**

**SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS VAPOR COMPONENTS PRESS	WEIGHT %	CAS #	OSHA	ACGIH	OTHER
			PEL	TLV	
-----					
SODIUM METASILICATE <5%		(6834-92-0)	N.A.	N.A.	N.A.

**SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**

**SARA TITLE III / SECTION 313 SUPPLIER NOTIFICATION**  
THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372:

CAS: #	CHEMICAL NAME	PERCENT BY WEIGHT
NONE		

<b>BOILING POINT:</b> N.A.	<b>SPECIFIC GRAVITY (H<sub>2</sub>O=1):</b> N.A.
<b>VAPOR DENSITY:</b> N.A.	<b>EVAPORATION RATE:</b> N.A.
<b>V.O.C.:</b> N.A.	<b>(ETHER=1)</b>
<b>SOLUBILITY IN WATER:</b> SOLUBLE	
<b>APPEARANCE AND ODOR:</b> WHITE POWDER, NO ODOR	

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

CLEAN CUT IS CONSIDERED NON - FLAMMABLE  
**FLASH POINT:** N.A.  
**FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER:** NA **UPPER:** NA  
**EXTINGUISHING MEDIA:** WATER  
**SPECIAL FIRE FIGHTING PROCEDURES:** SELF CONTAINED BREATHING APPARATUS WITH A FULL FACE PIECE OPERATED IN A PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** NONE

**SECTION V - REACTIVITY DATA**

**STABILITY:** STABLE  
**CONDITIONS TO AVOID:** STRONG OXIDIZING AGENTS, ACIDS  
**INCOMPATIBILITY (MATERIALS TO AVOID):** ALUMINUM REACTS WITH AQUEOUS SOLUTIONS TO RELEASE FLAMMABLE HYDROGEN GAS.  
**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** MAY LIBERATE CARBON MONOXIDE OR CARBON DIOXIDE.  
**HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR

**SECTION VI - HEALTH HAZARD DATA**

**INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:** EXCESSIVE INHALATION OF DUST CAN CAUSE NASAL AND RESPIRATORY IRRITATION.  
**SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:**  
**EYE** MAY CAUSE MODERATE EYE IRRITATION AND SLIGHT CORNEAL INJURY. DUST MAY IRRITATE EYES.  
**SKIN** PROLONGED OR REPEATED AND CONFINED EXPOSURE MAY CAUSE SKIN IRRITATION. REPEATED CONTACT MAY CAUSE DRYING OR FLAKING OF SKIN.  
**SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:** A SINGLE PROLONGED EXPOSURE IS NOT LIKELY TO RESULT IN THE MATERIAL BEING ABSORBED THROUGH THE SKIN IN A HARMFUL AMOUNT.

**SECTION VI - HEALTH HAZARD DATA CONT.**

**INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:** SWALLOWING CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

**CARCINOGENICITY:** THIS MATERIAL IS NOT CONSIDERED TO BE A CARCINOGEN BY THE NATIONAL TOXICOLOGY PROGRAM, THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER, OR THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION.

**NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO**

**EMERGENCY AND FIRST AID PROCEDURES:**

**EYES** IRRIGATE WITH FLOWING WATER IMMEDIATELY AND CONTINUOUSLY FOR 15 MINUTES. CONSULT MEDICAL PERSONNEL.

**SKIN** WASH OFF IN FLOWING WATER OR SHOWER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

**INGESTION** DO NOT INDUCE VOMITING. CALL PHYSICIAN AND/OR TRANSPORT TO EMERGENCY FACILITY IMMEDIATELY.

**INHALATION** REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE MOUTH TO MOUTH RESUSCITATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

**SMALL SPILL- SWEEP OR** ABSORB LIQUID ON PAPER, VERMICULITE, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL AND TRANSFER TO LABELED CONTAINERS.

**LARGE SPILL-** SWEEP OR STOP SPILL AT SOURCE, DIKE AREA OF SPILL TO PREVENT SPREADING, PUMP LIQUID INTO SALVAGE TANK. REMAINING LIQUID MAY BE TAKEN UP ON SAND, CLAY, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL AND SHOVELED INTO CONTAINERS.

**WASTE DISPOSAL METHOD: REVIEW FEDERAL, PROVINCIAL AND LOCAL GOVERNMENT REQUIREMENTS PRIOR TO DISPOSAL. PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** EXERCISE REASONABLE CARE AND CAUTION. STORE IN A COOL DRY PLACE.

**OTHER PRECAUTIONS:** CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED, SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID AND/OR SOLIDS), ALL HAZARD PRECAUTIONS GIVEN IN THE DATA SHEET MUST BE OBSERVED.

**SECTION VIII - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** IF TVL OF THE PRODUCT OR ANY COMPONENT IS EXCEEDED, A NIOSH/MSHA JOINTLY APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL. OSHA REGULATIONS ALSO PERMIT OTHER NIOSH/MSHA RESPIRATORS UNDER SPECIFIED CONDITION.

**VENTILATION:** PROVIDE GENERAL OR MECHANICAL VENTILATION OR LOCAL EXHAUST TO KEEP VAPOR CONCENTRATIONS BELOW TLV OF MATERIALS IN SECTION II AND LEL IN SECTION IV.

**PROTECTIVE GLOVES:** USE IMPERMEABLE GLOVES TO PREVENT PROLONGED SKIN CONTACT.

**EYE PROTECTION:** USE SAFETY EYE WEAR DESIGNED TO PROTECT EYES AGAINST LIQUID SPLASH AND MISTS. CONSULT YOUR SAFETY EQUIPMENT SUPPLIER.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** USE PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT. USE HEAD CAPS, BOOTS, CHEMICAL APRONS WHEN NECESSARY.

**WORK/HYGIENIC PRACTICES:** EYE WASHES AND SAFETY SHOWERS IN THE WORKPLACE ARE RECOMMENDED. WASH HANDS AFTER USING. MONITOR EXPOSURE LEVELS.

**SECTION IX - DISCLAIMER**

NOTICE: ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, NUTRIFASTER INC., INC. MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING SAME WILL MAKE THEIR OWN DETERMINATION AS TO THE SUITABILITY FOR THEIR PURPOSES PRIOR TO USE. IN NO EVENT WILL NUTRIFASTER INC. BE RESPONSIBLE FOR DAMAGES OF ANY NATURE WHATSOEVER RESULTING FROM THE USE OF OR RELIANCE UPON INFORMATION. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

TLV IS A REGISTERED TRADEMARK OF THE AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH)

**REVISION**

10-20-08 SECTION I - MANUFACTURER IDENTIFICATION INFORMATION